

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	4551	bearing near6 (test or testing or tester)	USPAT	2004/07/08 20:54
2	BRS	183	bearing near6 (test or testing or tester) with motor	USPAT	2004/07/08 20:58
3	BRS	204	bearing near6 (test or testing or tester or tested) with motor	USPAT	2004/07/08 21:29
4	IS&R	1	("4854865").PN.	USPAT	2004/07/08 21:09
5	BRS	1419	memory adj2 device and disk near5 motor	USPAT	2004/07/08 21:12
6	BRS	2	(bearing near6 (test or testing or tester) with motor) and (memory adj2 device and disk near5 motor)	USPAT	2004/07/08 21:23
7	BRS	2	(bearing near6 (test or testing or tester or tested) with motor) and (memory adj2 device and disk near5 motor)	USPAT	2004/07/08 21:23
8	IS&R	198	(340/682).CCLS.	USPAT	2004/07/08 21:27
9	IS&R	1203	((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.	USPAT	2004/07/08 21:28
10	BRS	4	(bearing near6 (test or testing or tester or tested) with motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)	USPAT	2004/07/08 21:28
11	BRS	1501	bearing near6 (test or testing or tester or tested) and motor	USPAT	2004/07/08 21:30

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>1</b>			<b>0</b>
<b>2</b>			<b>0</b>
<b>3</b>			<b>0</b>
<b>4</b>			<b>0</b>
<b>5</b>			<b>0</b>
<b>6</b>			<b>0</b>
<b>7</b>			<b>0</b>
<b>8</b>			<b>0</b>
<b>9</b>			<b>0</b>
<b>10</b>			<b>0</b>
<b>11</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
12	BRS	9	(((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.) and (bearing near6 (test or testing or tester or tested) and motor)	USPAT	2004/07/08 21:29
13	BRS	12222	bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor	USPAT	2004/07/08 21:31
14	BRS	63	(bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)	USPAT	2004/07/08 22:11

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>12</b>			<b>0</b>
<b>13</b>			<b>0</b>
<b>14</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
15	BRS	18	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) with (change or changing or change or varied or vary or varying or alter or altering or altered)	USPAT	2004/07/08 22:16
16	BRS	5	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) with (change or changing or change or varied or vary or varying or alter or altering or altered) same (contact or non adj contact)	USPAT	2004/07/08 22:16

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>15</b>			<b>0</b>
<b>16</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
17	BRS	1	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) with (change or changing or change or varied or vary or varying or alter or altering or altered) same (contact or non adj contact) with shaft with bearing	USPAT	2004/07/08 22:16
18	BRS	35	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance)	USPAT	2004/07/09 14:32



	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>17</b>			<b>0</b>
<b>18</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
19	BRS	0	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disk near3 (drive or driving)	USPAT	2004/07/09 14:30
20	BRS	0	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving)	USPAT	2004/07/09 14:30

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>19</b>			<b>0</b>
<b>20</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
21	BRS	0	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving or motor)	USPAT	2004/07/09 14:31
22	BRS	184	bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving or motor)	USPAT	2004/07/09 15:00
23	BRS	98	(bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving or motor)) and (340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving or motor)	USPAT	2004/07/09 14:32

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>21</b>			<b>0</b>
<b>22</b>			<b>0</b>
<b>23</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
24	BRS	184	(bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and hard adj disc near3 (drive or driving or motor)) not (((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) )	USPAT	2004/07/09 14:32
25	BRS	685	bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and disc near3 (drive or driving or motor)	USPAT	2004/07/09 15:00

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>24</b>			<b>0</b>
<b>25</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
26	BRS	502	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and disc near3 (drive or driving or motor)) not (((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) )) not ((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or	USPAT	2004/07/09 15:01



	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>26</b>			<b>0</b>

	Type	Hits	Search Text	DBs	Time Stamp
27	BRS	35	((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance)	USPAT	2004/07/09 17:18
28	BRS	684	(bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor and (impedance or conductance or inductance or resistance or capacitance or resistor or inductor) and disc near3 (drive or driving or motor)) not (((bearing with (test or testing or tester or tested or detect or detection or detecting or detected or sense or sensing or sensed or determine or determining or determined or determination) and motor) and (((340/682) or (340/679) or (340/680) or (340/696.2) or (340/686.3) or (340/686.4) or (340/686.5) or (340/686.6)).CCLS.)) and (impedance or conductance or inductance or resistance or capacitance) )	USPAT	2004/07/09 17:27

	<b>Com men ts</b>	<b>Erro r Defi nitio n</b>	<b>Errors</b>
<b>27</b>			<b>0</b>
<b>28</b>			<b>0</b>